L Number Hits Search Text DB - 1222 oscillator.clm. and timer.clm. USPAT; US-PGP' EPO; JP DERWEI IBM_TDE USPAT; US-PGP' EPO; JP DERWEI IBM_TDE US-PGP EPO; JP DERWEI IBM_TDE US-PGP EPO; JP DERWEI IBM_TDE US-PGP EPO; JP DERWEI IBM_TDE USPAT; US-PGP EPO; JP DERWEI IBM_TDE USPAT; USPAT; USPAT;	O; NT; B 2004/04/07 13:34 UB;
EPO; JP DERWEI IBM_TDE USPAT; same (comparator) 1012 oscillator same (voltage near4 (detector\$1 or sensor\$1)) USPAT; US-PGP EPO; JP DERWEI IBM_TDE IBM_TDE USPAT; USPAT; USPAT; USPAT; USPAT;	O; NT; B 2004/04/07 13:34 UB;
DERWEI IBM_TDE USPAT; same (comparator) 1012 oscillator same (voltage near4 (detector\$1 or sensor\$1)) USPAT; US-PGP EPO; JP DERWEI IBM_TDE IBM_TDE USPAT; USPAT; Oscillator.clm. same capacitor.clm. and parallel.clm.	NT; B 2004/04/07 13:34 UB;
oscillator same (voltage near4 (detector\$1 or sensor\$1)) same (comparator) 1012 oscillator same (voltage near4 (detector\$1 or sensor\$1)) USPAT; US-PGP EPO; JP DERWEI IBM_TDE IBM_TDE USPAT; Oscillator.clm. same capacitor.clm. and parallel.clm.	B 2004/04/07 13:34 UB;
oscillator same (voltage near4 (detector\$1 or sensor\$1)) USPAT; US-PGP EPO; JP DERWEI IBM_TDE 1272 oscillator.clm. same capacitor.clm. and parallel.clm. USPAT;	UB; 2004/04/07 13:34
same (comparator) US-PGP EPO; JP DERWEI IBM_TDE 1272 oscillator.clm. same capacitor.clm. and parallel.clm. US-PGP US-PGP EPO; JP DERWEI USPAT;	UB;
EPO; JP DERWEI 1272 oscillator.clm. same capacitor.clm. and parallel.clm. USPAT;	
DERWEI IBM_TDE 1272 oscillator.clm. same capacitor.clm. and parallel.clm. USPAT;	0, 1
IBM_TDB 1272 oscillator.clm. same capacitor.clm. and parallel.clm. USPAT;	
1272 oscillator.clm. same capacitor.clm. and parallel.clm. USPAT;	
	2004/04/07 13:34
US-PGP	
EPO; JP	
DERWE	
IBM_TDI	
- 612 (oscillator.clm. same capacitor.clm.) same parallel.clm. USPAT;	2004/04/07 13:34
US-PGP	UB;
EPO; JP	
DERWE	
	3
2855 ((oscillator same capacitor) same parallel) and (power near2 USPAT;	2004/04/07 13:34
US-PGP US-PGP	
EPO; JP	
DERWE	
0 ((oscillator same capacitor) same parallel) and (power near2 USPAT;	2004/04/07 13:34
supply) and (coating near1 device) US-PGP	
EPO; JP	
DERWE	
IBM_TDI	
US-PGP	
2 (118/\$.ccls. or 427/\$.ccls.) and (oscillator same (current USPAT;	2004/04/07 13:36
near2 (cutoff or "cut off" or cut-off))) US-PGP EPO; JP	
DERWE	
IBM_TD	
23 (118/62\$.ccls. or 118/63\$.ccls. or 118/64\$.ccls.) and (power USPAT;	2004/04/07 13:36
near10 supply) and oscillator	•
EPO; JP	
DERWE	
IBM_TD	В
_ 267 (118/638).CCLS. USPAT;	2004/04/07 13:36
US-PGP	
EPO; JP	
DERWE	
IBM_TD	
2 (118/62\$.ccls. or 118/63\$.ccls. or 118/64\$.ccls.) and (green USPAT;	
near10 electrode) US-PGF	
EPO; JF	
DERWE	
IBM_TD	1
- 344 (green near1 electrode) USPAT; US-PGF	
DERWE	
I BM_TD	
- 42 (green near2 compact near2 electrode) USPAT; US-PGF	
EPO; JF	
DERWE	
IBM_TD	

			LIGHT	0004/04/07 42:20
~	500	oscillator.clm. same timer.clm.	USPAT;	2004/04/07 13:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/07 42:26
-	34	oscillator.clm. same timer.clm. same (power.clm. near3	USPAT;	2004/04/07 13:36
		supply.clm.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		444040 1 40740 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IBM_TDB	2004/04/07 13:36
-	41	(118/\$.ccls. or 427/\$.ccls.) and (oscillator same (voltage	USPAT; US-PGPUB;	2004/04/07 13.30
		near10 (detect\$3 or sens\$3)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	400	(118/\$.ccls. or 427/\$.ccls.) and (oscillator same (capacitor))	USPAT;	2004/04/07 13:36
] -	108	(118/\$.ccis. of 42//\$.ccis.) and (oscillator same (capacitor))	US-PGPUB;	2004/04/07 10:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	20	320/\$.ccls. and electrode and reactance	USPAT;	2004/04/07 13:36
-	20	020/\$.0013. And electrode and reduction	US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	13	323/\$.ccls. and coating and reactance	USPAT;	2004/04/07 13:36
	1	220,4100,01 and 00 and 0	US-PGPUB,	
1			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
	894	(118/620).CCLS.	USPAT;	2004/04/07 13:37
		,	US-PGPUB;	'
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	00041041074007
-	4	oscillator same (voltage near4 (detector\$1 or sensor\$1))	USPAT;	2004/04/07 13:37
		same (current near10 cutoff)	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB USPAT;	2004/04/07 13:37
-	2	oscillator same (voltage near4 (detector\$1 or sensor\$1))	US-PGPUB;	2004/04/07 13.37
-		same (current near10 cut-off)	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
	604	((323/208) or (323/209) or (323/210) or (323/211)).CCLS.	USPAT;	2004/04/07 13:37
-	004	((020/200) 01 (020/200) 01 (020/210) 01 (020/211)).0000.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
1_	331	oscillator same (voltage adj2 (detector\$1 or sensor\$1))	USPAT;	2004/04/07 13:37
		same (comparator)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	197	(323/277).CCLS.	USPAT;	2004/04/07 15:25
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	0004/04/07 40:00
- 121	400	((320/166) or (320/167)). CCLS.	USPAT;	2004/04/07 13:38
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
	<u> </u>		מטו_ואומו ן	<u> </u>

-	21	(((320/166) or (320/167)).CCLS.) and ((inductor or reactance)	USPAT;	2004/04/07 13:38
]		same capacitor same series)	US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	323/\$.ccls. and (timer same (current near3 cutoff))	USPAT;	2004/04/07 13:38
		<i>"</i> .	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
_	101	323/\$.ccls. and (timer same oscillator)	USPAT;	2004/04/07 13:38
		O25/\$.5515. and (time: Same O55/mator)	US-PGPUB;	2004/04/07 15:50
			EPO; JPO;	
	1		DERWENT;	
i .	2	(cocillator also passes consister also) corresponded also and	IBM_TDB	0004/04/07 40:00
-		(oscillator.clm. same-capacitor.clm.) same parallel.clm. and	USPAT;	2004/04/07 13:38
		(118/\$.ccls. or 427/\$.ccls.)	US-PGPUB;	
l			EPO; JPO;	
1			DERWENT;	
	-		IBM_TDB	
] -	6	(oscillator.clm. same capacitor.clm.) same parallel.clm. and	USPAT;	2004/04/07 13:38
1		(electrode near20 coat\$)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	1
1		<u>)</u>	IBM_TDB	
-	8	((oscillator same capacitor) same parallel) and (power near2	USPAT;	2004/04/07 13:38
		supply) and (coating near2 apparatus)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5	((inductor same capacitor) same parallel) and (power near2	USPAT;	2004/04/07 13:38
		supply) and (coating near2 apparatus)	US-PGPUB;	2004/04/07 10:00
		Supply and (Codding hearz apparates)	EPO; JPO;	<u>'</u>
			DERWENT;	
			IBM_TDB	
	47	((inductor same capacitor) same parallel) and (power near2	USPAT;	2004/04/07 13:38
-	41	supply) and (electrode near5 coating)		2004/04/07 13:38
		supply) and (electrode flears coating)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	_	(((200(400) (200(407)) 00) 0)	IBM_TDB	0004/5
-	7	(((320/166) or (320/167)).CCLS.) and (oscillator and timer)	USPAT;	2004/04/07 13:38
	[US-PGPUB;	
			EPO; JPO;	
	ĺ		DERWENT;	
			IBM_TDB	
-	1	("6114015").PN.	USPAT	2004/04/07 13:38
-	1	("6702896").PN.	USPAT	2004/04/07 13:38
-	4948	118/62\$.ccls. or 118/63\$.ccls. or 118/64\$.ccls.	USPAT;	2004/04/07 13:41
			US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
		 ·	IBM_TDB	
-	1	(118/62\$.ccls. or 118/63\$.ccls. or 118/64\$.ccls.) and (green	USPAT;	2004/04/07 15:29
		near2 electrode) and oscillator	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	(118/62\$.ccls. or 118/63\$.ccls. or 118/64\$.ccls.) and (green	USPAT;	2004/04/07 15:29
	'	near2 electrode)	US-PGPUB;	200-101-101-10.28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	1406	(427/8).CCLS.	USPAT;	2004/04/07 15:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	((427/8).CCLS.) and (green near2 electrode) and oscillator	USPAT;	2004/04/07 15:29
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
	l ol	((427/8).CCLS.) and (green near2 electrode)	USPAT;	2004/04/07 15:29
		((12770).5020.) and (green notice stocked)	US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
	50	427/\$.ccls. and (green near2 electrode)	USPAT;	2004/04/07 16:00
-	50	427/\$.ccis. and (green near2 electrode)	US-PGPUB;	2004/04/07 10:00
			EPO; JPO;	•
1			DERWENT;	
		407/6	IBM_TDB	2004/04/07 45:47
-	116	427/\$.ccls. and (green near2 compact)	USPAT;	2004/04/07 15:47
	ļ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	106	(427/59).CCLS.	USPAT;	2004/04/07 16:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
!			IBM_TDB	
-	27	427/\$.ccls. and (compact near3 electrode)	USPAT;	2004/04/07 16:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
1	Į		IBM_TDB	
	639	(427/580).CCLS.	USPAT;	2004/04/08 12:03
		(1217000).0020.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
*			IBM_TDB	
	1606	(210/60 17) CCLS	USPAT;	2004/04/08 17:29
-	1626	(219/69.17).CCLS.	US-PGPUB;	200-75-760 17.20
			EPO; JPO;	
	ŧ		DERWENT;	
	170	(407/540) 001 0	IBM_TDB	2004/04/08 12:03
-	176	(427/540).CCLS.	USPAT;	2004/04/08 12.03
			US-PGPUB;	
			EPO; JPO;	
5-45			DERWENT;	1
		(407/500) 00/0	IBM_TDB	0004/04/00 45:00
-	409	(427/530).CCLS.	USPAT;	2004/04/08 15:23
			US-PGPUB;	
	ĺ		EPO; JPO;	
			DERWENT;	
		*	IBM_TDB	
-	6	"6086684"	USPAT	2004/04/08 15:23
-	3	"6348668"	USPAT	2004/04/08 15:23
-	396	(219/69.18).CCLS.	USPAT;	2004/04/08 17:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	<u> </u>	<u> </u>		

-	237	(219/69.19).CCLS.	USPAT;	2004/04/08 17:29
			US-PGPUB;	
1 .			EPO; JPO;	
			DERWENT:	
			IBM_TDB	